	ENGLISH NAMES	ALTERNATIVE ENGLISH	DESCRIPTION	ULITHIAN	WOLEIAN / SATAWALLESE
A	<u>Adze</u>	hafted adze	metal blade lashed to a crook necked wooden handle	puchigul	dela tela / puchigul
A.1.	haft	handle; helve	entire wooden handle; all parts not made of metal or rope long thin straight portion of the haft; includes the grip but		yaashe / yach
A.2.	shaft	leg	excluding the heel, foot and toe where the shaft is held when swung; lower portion of the		yeshaale/yachal
A.3.	· grip		shaft upper or rearward part of the foot; the exterior point		humushuule/gumchul
A.4	heel	shoulder throat; interior shoulder; interior	where the shaft and the foot form an angle		mangol (same)
A.5	toe angle	neck	internal angle between the shaft and the toe flat surface parallel but opsitie to the blade; extrustion beneath the blade that anchors or limits lashed rope from		mwegoule (yuyal) rumwuule (chemal)
A.6	toe		slidding off in direction of the cuting edge top surfaces onto which the blade is afflixed; generally parallel to the toe; extends from above the toe back to		
<b>A</b> .7	foot	seat	the heel top surface (foot) from the point at which it protrudes downward in which the blade rest, toward edge, above		haatoulu paashe (hagolgolol)
	xxxx		the toe		rumwuule haatou
<u>B</u>	<u>Blade</u> cutting				
B.1	، edge	edge	lower portion of the blade; all the area below the butt thin sharpened portion of the cutting edge that makes		metaale / meta/
B.2	bevel		contact with wood outer tips of the cutting edge; furtheresrt points left and		metaale / meta/
B.3.	· blade edge		right that strike wood curvature of the cutting edge seen as a cross section; may	,	gaatile
B.4	sweep		include lips that flare downward upper portion of the blade; all the area above the cutting		hulhul
B.5	butt		edge; includes shoulder, tang, poll and lug lower portion of the butt; start of bend in blades not		shaapale /urgul
B.6	shoulder	butt shouldeer	laterally flat; area where tang and or lug start		yaaferale / yafra.
B.7	tang	neck; nose	indentation or recess relative to the rest of the butt; used to stregthen connection between blade and handle projection outward on the butt; used to stregthen		sowaale potil   Sowa
B.8	lug 		connection between blade and handle		rumwuule
B.9	poll		the upper end or top edge of the blade		topeol/hapil

ENGLISH NAMES	ALTERNATIVE ENGLISH	DESCRIPTION	ULITHIAN	WOLEIAN / SATAWALLESE
A Adze	hafted adze	metal blade lashed to a crook necked wooden handle	puchigul	dela
A.1. haft	handle; helve	entire wooden handle; all parts not made of metal or rope		yaashe
		long thin straight portion of the haft; includes the grip but		
A.2. shaft	leg	excluding the heel, foot and toe		🍃 yeshaale
		where the shaft is held when swung; lower portion of the		
A.3. grip		shaft		humushuule
		upper or rearward part of the foot; the exterior point		· · · · · · · · · · · · · · · · · · ·
A.4 heel	shoulder	where the shaft and the foot form an angle		mangol
	throat; interior			<u> </u>
	shoulder; interior			
A.5 toe angl		internal angle between the shaft and the toe		mwegoule
5 toc ungi	C HOOK	flat surface parallel but opsitie to the blade; extrustion	<del></del>	
		beneath the blade that anchors or limits lashed rope from		
A.6 tøé		slidding off in direction of the cuting edge		≺ rumwuule
4.0 (GE		top surfaces onto which the blade is afflixed; generally	_	ranwadie
		parallel to the toe; extends from above the toe back to		
47 64		the heel		✓ haatoulu paashe
A.7 foot	seat			X Illianoulu paasile
		top surface (foot) from the point at which it protrudes		
		downward in which the blade rest, toward edge, above		rumwuule haatou
XXXX	<u> </u>	the toe		rumwuule naatou
<u>B Blade</u>				
cutting				
B.1 edge	edge	lower portion of the blade; all the area below the butt		metaale
		thin sharpened portion of the cutting edge that makes		
B.2 bevel		contact with wood		
		outer tips of the cutting edge; furtheresrt points left and		
B.3. blade ed	dge	right that strike wood		🗶 gaatile
		curvature of the cutting edge seen as a cross section; may	,	
B.4 sweep		include lips that flare downward		≼ hulhul
\		upper portion of the blade; all the area above the cutting		
B.5 butt		edge; includes shoulder, tang, poll and lug		shaapale
		lower portion of the butt; start of bend in blades not		
B.6 shoulde	r butt shouldeer	laterally flat; area where tang and or lug start		yaaferale
		indentation or recess relative to the rest of the butt; used		
B.7 tang	neck; nose	to stregthen connection between blade and handle		🗴 sowaale potil
D./ tang	Heck, Hose	projection outward on the butt; used to stregthen		7 contains boni
B.8 lug		connection between blade and handle		x rumwuule
B.9 poll		the upper end or top edge of the blade		× topeol

Shouldir

	ENGLISH NAMES	ALTERNATIVE ENGLISH	DESCRIPTION	ULITHIAN	WOLEIAN / SATAWALLESE
Α	Adze	hafted adze	metal blade lashed to a crook necked wooden handle	puchigul	dela
_				, ,	
A.1.	haft	handle; helve	entire wooden handle; all parts not made of metal or rope long thin straight portion of the haft; includes the grip but		yaashe
A.2.	shaft	leg	excluding the heel, foot and toe where the shaft is held when swung; lower portion of the		yeshaale
A.3.	grip		shaft upper or rearward part of the foot; the exterior point		humushuule
A.4	heel	shoulder throat; interior shoulder; interior	where the shaft and the foot form an angle		mangol
A.5	toe angle	neck	internal angle between the shaft and the toe flat surface parallel but opsitie to the blade; extrustion		mwegoule
A.6	toe		beneath the blade that anchors or limits lashed rope from slidding off in direction of the cuting edge top surfaces onto which the blade is afflixed; generally		rumwuule
A.7	foot	seat	parallel to the toe; extends from above the toe back to the heel top surface (foot) from the point at which it protrudes		haatoulu paashe
			downward in which the blade rest, toward edge, above		
	XXXX		the toe		rumwuule haatou
B	<u>Blade</u> cutting				
B.1	edge	edge	lower portion of the blade; all the area below the butt thin sharpened portion of the cutting edge that makes		metaale
B.2	bevel		contact with wood outer tips of the cutting edge; furtheresrt points left and		metaale
B.3.	blade edge	•	right that strike wood curvature of the cutting edge seen as a cross section; may	,	gaatile
B.4	sweep		include lips that flare downward upper portion of the blade; all the area above the cutting		hulhul
B.5	butt		edge; includes shoulder, tang, poll and lug lower portion of the butt; start of bend in blades not		shaapale
B.6	shoulder	butt shouldeer	laterally flat; area where tang and or lug start		yaaferale
			indentation or recess relative to the rest of the butt; used		
B.7	tang	neck; nose	to stregthen connection between blade and handle projection outward on the butt; used to stregthen		sowaale potil
B.8	lug		connection between blade and handle		rumwuule
B.9	poll		the upper end or top edge of the blade		topeol





€ B1 Q ...

Q Search (#K)



Larry Raigetal

You: Great. Tha ... · Just now



HABELE PROJECT GR ... You: Yes, helpf... · Just now



Raden Lovelyn Soholmar



Shaun Suliol

Reacted of to your ... - Jul 01




Rufus Yaisolug

You: My emails -re... - Jul 01



AmJay Hart Haretal





Jalvenda L Tapang ₫ - Jun 29



Modino Letangmog

Thank you! - Jun 28



Pius Sumal You: Okay, sound... - Jun 28



Regina R Raigetal

Please let me know... Jun 27

9



Amos Heidi Collins





Leyarofyang Vivian

Thanks and I haven't... - Jun 22



Rollend, Charles, Venni...





Fernanda Aliseda Thanks! I'm excited f... - Jun 20



Michael Yarofaitoar

You: https://habel... - Jun 09





thank you Neil for thinking about us. we will put them to good use

faatile is the corner, metaale is the front and wesheele is the bevel

APR 25, 3:00 PM

Three blades headed you way to start. USPS tracking number 9405511899561677677885

APR 25, 10:04 PM

JUN 27, 8:23 PM



Video chat

Call ended - 13 mins

MON 2:20 PM

Larry, we are working on a handout that describes the adze blades. It has english and woleain names for all the parts of the blade, which you helped so much with when you were visiting. I am missing one though.

The blade laying flat on a table, and you looking down at it, there is a curve to the cutting edge. This is NOT the sweep (or hulhul).

What is the name for the "curve?



MON 5:58 PM

7:45 PM






Type a message...

Faatile







The desison is a combination of the old too, the marker

1 1404/ 1000 L 1 1404/ 1000 L